



AC-30E SERIES VACUUM FILLER

The Next Generation of Innovation



ENHANCED EFFICIENCY

- State of the art proven dual drive Servo technology
- In-plant monitoring systems integration
- In-line check-weighing communication capability to reduce product give away

REDUNDANCY

Our **simple design** has a proven track record of providing a severe duty cycle continuously for strenuous demands

IMPROVED SANITATION

Enhanced sanitation through seamless design eliminating seams, joints, parting lines and blind sharp corners

FOOD SAFETY

All wear components available in metal detectable material

FLEXIBILITY

- Redundant double screw design provides quick and easy product changes
- Minimized downtime with quick tooling changes
- Expedited clean-up with easy access components



HENRY & SONS INC.

dhenryandsons.com



INFEEED TECHNOLOGY FOCUSING ON REDUNDANCY AND SANITATION

AT THE HEART OF EVERY AC-30E

- 400 pounds of solid cast stainless steel that gives this machine the backbone to provide
- Proven redundancy and dependability
- Seam-free product delivery zone providing optimal hygiene



INFEEED SCROLL

- A proven winner with metal detectable wear parts
- Easily removed for complete sanitation
- Independently Servo driven for gentle product handling
- Proven **Easy Install Scraper**




HOPPER



- Opens completely for removal of all infeed components for thorough sanitation
- Seam-free sanitary friendly design



THIS IS AN INDUSTRY GAME CHANGER THE FUTURE OF OUR INDUSTRY IS HERE



NEW FLOW THROUGH DESIGN CONTROL PANEL KEEPS ELECTRICAL COMPONENTS COOL AND DRY



Moisture and heat significantly reduced

100% CLIMATE CONTROLLED ELECTRONICS

- Heated, cooled and dried air circulates between control panel and main drive panel
- Newly designed waterproof door and panel gasketing
- Large main drive door allows ample access

SPECIFICATIONS

Hopper Capacity	95 gal. or 600 lb.
Total Dual Drive Output	30 hp.
Vacuum	2hp. Busch
Product Delivery	up to 45k lb. per hour *

*Depending on product, product temperature and feed screw selected, these figures can vary.



PRECISE NEW AGE PRODUCT DELIVERY

EXPANDED CAPABILITY TOUCH SCREEN

- Easy to navigate touch screen
- Quick call up menus and batch history
- Easy to customize screens
- Capable of allowing off-site technician to remote-in and troubleshoot, reducing downtime and service costs



THE DOUBLE SCREW

- A proven method of product delivery with many benefits
- Gentle product handling with repeatable product quality
- Will accommodate a wide range of product portion sizes
- Provides ability to retain product structure and integrity
- Proven flexibility with capability of handling a wide range of product viscosity



DUAL SERVO TECHNOLOGY

- Strong dependable power
- Absolute repeatability
- Independently controlled double screw and infeed scroll speeds
- Provides **Extreme Duty** horsepower & torque



HENRY & SONS INC.

dhenryandsons.com | 800.752.7507 | 805.472.2600 | fax 805.472.2626
58480 Frudden Road Bradley, CA 93426 | P.O. Box 3146, Paso Robles, CA 93447

Providing cost saving solutions and guidance.
Outstanding reputation built on integrity and
experience. Proven performer since 1980.